

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com





M12 distributors are available in various versions. The 4, 6 or 8 M12 slots are in 4 or 5 pole design. The group outlet is designed as a fixed cable version, hood version for connection by the user, or with M23. Special versions are also available. For instance, there are 1-to-1 distributors for use with any connection types, or distributors approved for Ex Zone 1.

General ordering data

Version	Fixed cable version, M12, 30 V, A-coded, LED: Yes, LED initiator: Yes, Wiring type: PNP, Cable length: 10 m	
Order No.	<u>1265930000</u>	
Туре	SAI-6-F 4P M12 L 10M	
GTIN (EAN)	4050118055634	
Qty.	1 pc(s).	



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Net weight	550 g		
Temperatures			
Operating temperature	-20 - 80°C		
Connection data			
Distributor outlet	Fixed cable version		
Electrical data			
Rated voltage, min.	10 V	Rated voltage, max.	30 V
Max. current-carrying capacity per slot	3 A	Total current	9 A
Current per signal	2 A		
General technical data			
Plug-in station coding	A-coded	Protection degree	IP68
Number of poles	4	Number of contact sockets	6
Connection thread	M12	Pollution severity	3
Fire behaviour	V-0	LED	Yes
LED initiator	Yes		
Material data			
Housing main material	PBT	Housing colour	grey, RAL 7032
Screw socket	Nickel-plated CuZn	Contact material	CuZn
Contact surface	Gold-plated	Contact material	PBT (UL 94 VO)
Technical data cable			
Bending cycles	2 Mio	Bending radius, min., moving	10 x cable diameter
Colour coding	red, pink, green, grey, yellow, brown, blue,	Halogen	No
Number of poles	Green/yellow, white 4	O.D.	7.8 mm
Sheath material	PUR	Sheathing colour	black
Shielded	No	Wire cross section (Print/Online)	6 x 0.34 mm ² + 3 x 1.0 mm ²
Cable length	10 m	Suitable for cable carriers	Yes
Classifications			
ETIM 6.0	FC002E0E	ETIM 7.0	FC002E9F
	EC002585	ETIM 7.0	EC002585
	ECO03585	ETIMOO	ECUUSESE
ETIM 8.0	EC002585	ETIM 9.0	EC002585
	EC002585 27-44-01-08 27-44-01-08	ETIM 9.0 ECLASS 9.1 ECLASS 11.0	EC002585 27-44-01-08 27-44-01-08



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Approvals

Approvals (**É**

ROHS	Conform
UL File Number Search	UL Website
Certificate No. (cURus)	E92202

Downloads

Catalogues	Catalogues in PDF-format	
Brochures	<u>FL FIELDWIRING EN</u> <u>FL FIELDWIRING EN</u>	



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Custom printing



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Z-series. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

- · Can be fitted in strips or individually
- · Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Type WS 10/5 MC SDR

Order No. 1635010000

GTIN (EAN) 4008190456634

Oty. 144 pc(s).

Version

WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,

Allen-Bradley, To customer specification

M12



Protective caps protect unassigned plug-in stations against external influences.

General ordering data

Type SAI-SK-M12
Order No. 9456050000
GTIN (EAN) 4008190304058
Oty. 30 pc(s).

Version

Protected component assemblies, Protective cap



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Screwty® cable gland tool with torque function



The ideal tool for any application

Screwty® is the ideal, all-purpose tool for tightening all common sensor and actuator cables. Even difficult-to-reach round plugs are accessible using the Screwty®. A simple turning movement tightens and loosens the connectors without the need for excessive force. The Screwty® is a unique and global solution since it fits with most cables and plugs from other vendors (over 90 %). The Screwty® consists of a handle with a conventional 1/4" adapter. Thus it can be used for all sizes: for M12 and M8 round plug-in connectors, and for M12F and M8F customisable plugs and sockets, as well as for all M23 plugs and sockets.

General ordering data

Type SCREWTY SET -DM
Order No. 192000000
GTIN (EAN) 4032248436859
Oty. 1 pc(s).

Version Bolting tool