


G-3L-428/16 C**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Product image

Similar to illustration

3-pole fork-type phase distribution bars are used for potential distribution to other components in the control cabinet such as circuit breakers, residual current circuit breakers and other installation devices.

General ordering data

| | |
|------------|----------------------------|
| Order No. | 2820040000 |
| Type | G-3L-428/16 C |
| GTIN (EAN) | 4064675345930 |
| Qty. | 20 pc(s). |

G-3L-428/16 C**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

| | | | |
|------------|----------|-----------------|------------|
| Depth | 15.4 mm | Depth (inches) | 0.606 inch |
| Height | 31 mm | Height (inches) | 1.22 inch |
| Width | 428 mm | Width (inches) | 16.85 inch |
| Net weight | 263.05 g | | |

Material data

| | | | |
|--------|------|---------------------------|-----|
| Colour | grey | UL 94 flammability rating | V-0 |
|--------|------|---------------------------|-----|

Additional technical data

| | | | |
|----------------|-----------------|------------------|-----------------|
| Type of fixing | when screwed in | Type of mounting | when screwed in |
|----------------|-----------------|------------------|-----------------|

Dimensions

| | |
|-----------------|---------|
| Pitch in mm (P) | 17.8 mm |
|-----------------|---------|

General

| | |
|-----------------|----|
| Number of poles | 23 |
|-----------------|----|

Rating data

| | |
|---------------|------|
| Rated current | 63 A |
|---------------|------|

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC000489 | ETIM 7.0 | EC000489 |
| ETIM 8.0 | EC000489 | ETIM 9.0 | EC000489 |
| ECLASS 9.0 | 27-14-11-40 | ECLASS 9.1 | 27-14-11-40 |
| ECLASS 10.0 | 27-14-11-40 | ECLASS 11.0 | 27-14-11-40 |
| ECLASS 12.0 | 27-14-11-40 | ECLASS 13.0 | 27250303 |

Approvals

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|------------|--|
| Catalogues | Catalogues in PDF-format |
|------------|--|

Data sheet

G-3L-428/16 C

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Drawing

