

## IE-USB-A-C-2.0M

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)



Assembled IE cables

### General ordering data

Version	USB cable, USB A, USB C, PVC, 2 m
Order No.	<a href="#">2838380020</a>
Type	IE-USB-A-C-2.0M
GTIN (EAN)	4064675444329
Qty.	1 pc(s).

Creation date December 1, 2023 1:47:06 PM CET

Catalogue status 24.11.2023 / We reserve the right to make technical changes.

**IE-USB-A-C-2.0M**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Technical data**

**Dimensions and weights**

Length	2 m	Length (inches)	78.74 inch
Net weight	57 g		

**Temperatures**

Operating temperature	-15 °C...80 °C
-----------------------	----------------

**Technical specifications for cable**

Sheathing colour	black
------------------	-------

**Cable structure**

Material sheath	PVC	Sheath diameter, max.	3.9 mm
Sheath diameter, min.	3.5 mm	Sheathing colour	black

**Plug**

Plug	Cable side	left
	Version of contact face	USB A
	Protection degree (IP)	IP20
	Gender of contact	male contact
	Outlet direction	straight
	Version of connector	plug
	Housing main material	Plastic
	Status indicator available	No
	Shielding available	Yes
	Cable side	right
	Protection degree (IP)	IP20
	Gender of contact	male contact
	Outlet direction	straight
	Version of connector	plug
	Housing main material	Plastic
	Status indicator available	No
Shielding available	Yes	

Plug left	USB A, IP20, male contact, straight, plug, Plastic, shielded
Plug right	IP20, male contact, straight, plug, Plastic, shielded

**Plug, left**

Connector left	Plug left	USB A, IP20, male contact, straight, plug, Plastic, shielded
	USB A	

**Plug, right**

Connector right	Plug right	IP20, male contact, straight, plug, Plastic, shielded
	USB C	

## IE-USB-A-C-2.0M

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Technical data

### Classifications

ETIM 6.0	EC001408	ETIM 7.0	EC001408
ETIM 8.0	EC001408	ETIM 9.0	EC001408
ECLASS 9.0	27-06-20-11	ECLASS 9.1	27-06-90-90
ECLASS 10.0	27-06-01-06	ECLASS 11.0	27-06-01-06
ECLASS 12.0	27-06-01-06	ECLASS 13.0	27060106

### Approvals

ROHS Conform

### Downloads

Catalogues [Catalogues in PDF-format](#)